

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S55	1	"6456308".pn. and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:06
S54	0	"6456308".pn. and printer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:06
S53	1	"6456308".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:06
S52	26	"6456308"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:06
S60	0	config\$10 with print\$5 near4 network same (email e-mail) same embed\$6 and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:18
S59	23	config\$10 with print\$5 near4 network same (email e-mail) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:18
S58	58	config\$10 with print\$5 with network same (email e-mail) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:18
S57	177	config\$10 with print\$5 with network same (email e-mail)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:18
S56	404	config\$10 same print\$5 with network same (email e-mail)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:18
S61	4	config\$10 with print\$5 with network same (email e-mail) same embed\$6 and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:19
S63	5	S62 not S61	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:20
S62	9	config\$10 with print\$5 same network same (email e-mail) same embed\$6 and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:20

S64	1	"6184996".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:23
S68	27	embed\$9 near4 server with printer same config\$10 and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:41
S67	60	embed\$9 near4 server with printer same network and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:41
S66	101	embed\$9 near4 server with printer and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:41
S65	276	embed\$9 near4 server with printer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:41
S69	20	embed\$9 near4 server with printer same config\$10 and (email e-mail (electronic adj mail)) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:42
S71	14	embed\$9 near4 server with printer same config\$10 and (email e-mail (electronic adj mail)) and (@ad< "20011011" @rlad< "20011011") not (hewlett.as. hewlett-packard. as.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:43
S70	14	embed\$9 near4 server with printer same config\$10 and (email e-mail (electronic adj mail)) and (@ad< "20011011" @rlad< "20011011") not hewlett.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:43
S72	53	S58 not S62	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:47
S73	215	config\$10 with print\$5 with (email e-mail) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:48
S74	11	config\$10 with network adj print\$5 with (email e-mail) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:49
S77	33	config\$10 with print\$5 with network same (snmp) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:51

img

img

(S75)	47	S58 not S74	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 14:51
(S76)	8	("5367632" "5580177" "5638497" "5692111" "5699495" "5905906" "6026436" "6119156").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:15
(S79)	8	updat\$5 with print\$5 with network same (snmp) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:21
(S80)	14	(config\$10 updat\$6) with network adj print\$5 with (email e-mail) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:22
S81	1805	snmp and smtp	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:29
(S83)	18	(snmp and smtp) and (config \$9 updat\$6) near4 printer and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:30
S82	99	(snmp and smtp) and (config \$9 updat\$6) near4 printer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:30
S85	1	push\$4 with (configuration update) with printer and (email e-mail (electronic adj mail)) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:32
(S84)	22	push\$4 with (configuration update) with printer and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:32
(S86)	32	vendor with (configuration update) with printer and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 15:34
S92	21	config\$10 with print\$5 with network with firewall and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 16:30
(S91)	31	config\$10 with print\$5 with network same firewall and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 16:30
(S93)	1	"20030182438".pn. and (config\$9 same firewall)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 17:56

S96	28	config\$10 with print\$5 with (website webpage (web adj site) (web adj page)) and firewall and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 18:00
S95	153	config\$10 with print\$5 with (website webpage (web adj site) (web adj page)) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 18:00
S94	0	config\$10 with print\$5 with (website webpage (web adj site) (web adj page)) same firewall and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 18:00
S97	17	config\$10 with print\$5 with (website webpage (web adj site) (web adj page)) and firewall and (email e-mail (electronic adj mail)) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 18:01
S98	73	config\$10 adj network adj printer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 18:02
S99	4000	358/1.15.ccls. and config\$10 with print\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 18:03
S101	16	358/1.15.ccls. and config\$10 with print\$5 same (website webpage (web adj site) (web adj page)) and firewall and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 18:04
S100	0	358/1.15.ccls. and config\$10 with print\$5 same (website webpage (web adj site) (web adj page)) same firewall and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/12 18:04
S102	1	"20030048380".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:42
S105	25	configure with through with firewall and printer and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:43
S104	41	configure with through with firewall and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:43

img

S103	94	configure with through with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:43
(S106)	17	configure with through with firewall and printer and (email e-mail (electronic adj mail)) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:44
(S107)	1	"20030182438".pn. and firewall same config\$9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:45
(S109)	1	"6859832".pn. and firewall same config\$9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:48
S108	1	"6859832".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:48
(S113)	2	config\$9 near4 printer same (website webpage (web adj (site page))) same firewall and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:57
S112	100	config\$9 near4 printer same (website webpage (web adj (site page))) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:57
S111	155	config\$9 with printer same (website webpage (web adj (site page))) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:57
S110	369	config\$9 with printer same (website webpage (web adj (site page)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 15:57
S114	1	"6859832".pn. and spool\$4 same config\$9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 16:17
S116	592	config\$9 with via with (email e-mail (electronic adj mail)) same device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 18:25
S115	1960	config\$9 with via with (email e-mail (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 18:25
(S118)	19	config\$9 with via with (email e-mail (electronic adj mail)) same printer and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 18:26
S117	49	config\$9 with via with (email e-mail (electronic adj mail)) same printer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 18:26

S120	1	"6598087".pn. and internet same config\$9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 18:28
S119	1	"6598087".pn. and e-mail same config\$9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 18:28
S121	1	"6598087".pn. and e-mail	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 18:29
S122	1	("6859832" "20010042052" "7126716").pn. and xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/17 18:51
S124	1207	speaker with echo with cancel \$9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/18 14:25
S125	919	microphone same speaker with echo with cancel\$9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/18 14:28
S126	0	configure with through with firewall and printer and (email e-mail (electronic adj mail)) and (@pd< "20011011")	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 17:42
S128	0	config\$10 with print\$5 with (website webpage (web adj site) (web adj page)) and firewall and (email e-mail (electronic adj mail)) and (@pd< "20011011")	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 17:43
S129	1	vendor with (configuration update) with printer and (@pd< "20011011")	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/18 17:44
S132	3	S130 and config\$10 with print \$5 with (website webpage (web adj site) (web adj page)) and (@ad< "20011011" @rlad< "20011011")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/18 18:26
S130	1037	(709/206,207,217-222.ccls. 713/100.ccls.) and (@ad< "20011011" @rlad< "20011011") and (@pd> "20071113")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/18 18:26
S134	7	S130 and configur\$6 with network adj printer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/18 18:28
S133	2	S130 and configure with network adj printer	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/18 18:28
S135	7	S130 and configur\$9 with through with firewall	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/03/18 18:29

**3/ 18/ 09 6:30:09 PM**

**C:\Documents and Settings\mmeucci\My Documents\EAST\Workspaces\mdm haines-09976626.  
wsp**